ELSEVIER

Materials Science and Engineering B29 (1995) 237–238

MATERIALS SCIENCE & ENGINEERING B

Author Index of Volume 29

Allain, J., 105
Andreev, A.N., 190, 194, 198
Anikin, M., 90
Anikin, M.M., 190
Apel, U., 13
Arnaud, G., 138, 160
Aspar, B., 24
Aubel, D., 110

Bächli, A., 185
Bachmann, T., 142
Baier, S., 54
Balladore, J.L., 110
Barski, A., 74
Baud, L., 126, 185
Baur, J., 61
Beckman, J., 216
Bernard, C., 126
Billon, T., 122
Bischoff, J.L., 110
Blanchard, B., 134
Bourret, A., 74
Brounkov, P.N., 122
Buckley-Golder, I.M., 206
Bulkin, P.V., 151

Callec, R., 138
Camassel, J., 138, 160
Cardona, M., 65
Chalker, P.R., 206, 223
Chan, S.S.M., 223
Chelnokov, V.E., 190, 194, 198
Chen, J., 18
Chen, J.S., 126, 185
Christou, A., 233
Chumakov, A.A., 151
Cimalla, V., 170
Claverie, A., 110
Colinge J.-P., 18
Contreras, S., 160
Cristoloveanu, S., 21

Davis, R.F., 122
Denanot, M.F., 105
Deparis, C., 74
Derst, G., 147
Dezauzier, C., 160
Di Cioccio, L., 134
Di Rosa, P., 176
Diani, M., 110
Dimova-Malinovska, D., 165
Dong, J., 58
Ducroquet, F., 122

Ecke, G., 94
Eichhorn, G., 170
Ellingboe, S.L., 29

Faynot, O., 21
Fedotov, S.A., 202
Flandre, D., 7
Foord, J.S., 78, 216
Fricke, K., 70
Fuchs, F., 211
Fueß, H., 70

Gao, W., 58
Garcia, A., 24
Garcon, I., 90
Giffard, B., 21
Glaser, E., 142
Golz, A., 131
Gonon, P., 211
Graf, H.-G., 13
Grandjean, N., 74
Grueninger, H.W., 154
Guillot, G., 122

Harendt, C., 13
Harris, C.I., 114
Hartnagel, H.L., 47, 70
Heft, A., 142
Heiser, T., 110
Hellmich, W., 147
Henry, A., 114
Hiesinger, P., 211
Hiroyama, Y., 202
Höfflinger, B., 13
Huang, C., 233

Ishimaru, M., 202
Ivanov, P.A., 190

Jackman, R.B., 78, 216, 223
Janzén, E., 114
Jaussaud, C., 90, 122, 126, 134, 185
Johnston, C., 206, 223
Jones, A., 154

Kalbitzer, S., 147
Karagodina, K.V., 170
Karmann, S., 134
Kaufmann, U., 61, 118
Keršulis, S., 34
Keznetsov, N.I., 181
Kikuchi, R., 220
Kingsley, C.R., 78
Koidl, P., 211
Konstantinov, A.O., 114
Korec, J., 1
Krastev, V., 165
Krötz, G., 147, 154
Kubler, L., 110
Kunzer, M., 61, 118
Kupris, G., 94
Kurz, H., 131

La Monica, S., 176
Lacquet, B.M., 151
Lebedev, A.A., 190, 198
Lee, W.Y., 70
Leese, B., 154
Legner, W., 154
Li, C., 58
Li, Y., 58
Liu, X., 58
Locher, R., 211
Logothetidis, S., 65
Lu, D.-c., 58

Madar, R., 90, 126, 185
Maier, K., 61, 118
Marinova, Ts., 165
Massies, J., 74
Matsui, T., 220
McKeag, R.D., 223
Mesli, A., 110
Mitin, V., 34
Moore, R.A., 24
Motooka, T., 202
Moustakas, T.D., 65
Müller, G., 147, 154
Muyard, D., 134

Nicolet, M.-A., 185
Nicolet, M.A., 126
Nohava, J., 54

Obermeier, E., 206
Ohki, Y., 220
Ouisse, T., 21, 134
O'Neill, A., 54

Paasch, G., 38
Pascual, J., 138, 160
Petalas, J., 65
Peyre, S., 110
Pezoldt, J., 94, 99, 170
Pirling, T., 70
Porter, L.M., 122

Elsevier Science S.A.

Rastegaeva, M.G., 190, 198
Raynaud, C., 122
Reichert, G., 21
Richier, C., 122
Ridgway, M.C., 29
Rivière, J.P., 105
Robert, J.L., 160
Rössner, U., 74
Rouault, A., 90
Rouvière, J.L., 74
Rushworth, S., 154

Saggio, G., 176
Sagnes, B., 138
Salotti, R., 176
Savkina, N.S., 190, 194
Scheinert, S., 38
Scherbakov, A.A., 151
Schirone, L., 176
Schneider, J., 61, 118
Schußler, M., 70
Silvestre, G., 24
Smith, L., 154
Snegov, F.M., 194
Stein von Kamienski, E., 131
Stoemenos, J., 160
Stottko, B., 94
Strel'chuk, A.M., 190, 194
Swart, P.L., 151
Syrkin, A.L., 190, 198

Tairov, Yu.M., 83
Tsagaraki, K., 138
Tsvetkova, T., 165
Tzenov, N., 165

van Rossum, M., 206
Varichenko, V.S., 202
Verona, E., 176

Wagner, J., 211
Wang, D., 58
Wang, J., 43
Wang, Q., 43
Wang, X., 58
Wee, A.T.S., 78
Wendler, E., 142
Werheit, H., 228
Werner, M., 206
Wesch, W., 142
Whitaker, T.J., 78
Wild, C., 211
Wilson, C., 54

Yoshimura, S., 220
Yu, Y., 43
Yudasaka, M., 220

Zaitsev, A.M., 202
Zan, Y., 43
Zaytouni, M., 105
Zekentes, K., 138
Zelenin, V.V., 190
Zubrilov, A.S., 181

ELSEVIER

Materials Science and Engineering B29 (1995) 239–242

MATERIALS SCIENCE & ENGINEERING B

Subject Index of Volume 29

Admittance
determination of donor and acceptor level energies by admittance spectroscopy in 6H SiC, 122
Aluminium
deep centers and electroluminescence in 4H–SiC diodes with p-type base region, 181
Amorphous materials
reactive ion etching characterization of a-SiC:H in CF_4/O_2 plasma, 176
X-ray photoelectron spectroscopy study of Sn^+ implanted a-$Si_{1-x}C_x$:H thin films, 165
Annealing
contact resistivity of Re, Pt and Ta films on n-type B-SiC: preliminary results, 185
defect production and annealing in ion implanted silicon carbide, 142
effects of Ar and H_2 annealing on the electrical properties of oxides on 6H SiC, 131
Auger electron spectroscopy
carbonization of Si surfaces by solid source molecular beam epitaxy, 138
sputtering effects in hexagonal silicon carbide, 94

Band structure of crystalline semiconductors and insulators
optical properties and electronic transitions of cubic and hexagonal GaN films between 1.5 and 10 eV, 65
Borides
boron-rich solids: a chance for high-efficiency high-temperature thermoelectric energy conversion, 228
Boron
are polytype transitions possible during boron diffusion?, 99

Carbides
boron-rich solids: a chance for high-efficiency high-temperature thermoelectric energy conversion, 228
Characterization
study of SiC single-crystal sublimation growth conditions, 90
Chemical vapour deposition
CVD of diamond from a novel capacitively coupled r.f. plasma source, 216
growth of thin β-SiC layers by carbonization of Si surfaces by rapid thermal processing, 170
MOCVD growth of GaN, 58
structural and electronic characterization of β-SiC films on Si grown from mono-methylsilane precursors, 154
structure of nitrogen-substituted graphite prepared by CVD, 220
unintentional incorporation of contaminants during CVD of silicon carbide, 134
Contact metallurgy
high temperature contacts to chemically vapour deposited diamond films—reliability issues, 206
Contact resistance
interfacial reactions of W thin film on single-crystal (001) β-SiC, 126
tungsten metallization technology for high temperature silicon-on-insulator devices, 18
Contact resistivity
contact resistivity of Re, Pt and Ta films on n-type β-SiC: preliminary results, 185
Crystal growth
study of SiC single-crystal sublimation growth conditions, 90

Defect formation
a study of the growth and shrinkage of stacking faults in SIMOX, 24
deep centers and electroluminescence in 4H–SiC diodes with p-type base region, 181
diffusion controlled degradation analysis of high temperature $(Bi,Sb)_2(Te,Se)_3$ semiconductor thermoelectric power modules, 233
macrodefect formation in semiconductors during high energy ion implantation: Monte Carlo simulation of damage depth distributions, 202
observation of Si out-diffusion related defects in SiC growth on Si(001), 110
strain reduction in the Si overlayer for improved SIMOX material, 29
Diamond
boron doped diamond films: electrical and optical characterization and the effect of compensating nitrogen, 211
CVD of diamond from a novel capacitively coupled r.f. plasma source, 216
high temperature contacts to chemically vapour deposited diamond films—reliability issues, 206
high temperature stability of chemically vapour deposited diamond diodes, 223
macrodefect formation in semiconductors during high energy ion implantation: Monte Carlo simulation of damage depth distributions, 202
Diffusion
are polytype transitions possible during boron diffusion?, 99
interfacial reactions of W thin film on single-crystal (001) β-SiC, 126
Diodes
high temperature stability of chemically vapour deposited diamond diodes, 223
Doping effects
boron doped diamond films: electrical and optical characterization and the effect of compensating nitrogen, 211
unintentional incorporation of contaminants during CVD of silicon carbide, 134
Double crystal X-ray diffraction
strain reduction in the Si overlayer for improved SIMOX material, 29

Elsevier Science S.A.

Electrical measurements
boron doped diamond films: electrical and optical characterization and the effect of compensating nitrogen, 211
electronic transport in thermally crystallized SiC films on sapphire, 147
structural, optical and electrical properties of state of the art cubic SiC films, 160
Electron mobility
determination of donor and acceptor level energies by admittance spectroscopy in 6H SiC, 122
Electron paramagnetic resonance
magnetic circular dichroism and electron spin resonance of the A^- acceptor state of vanadium, V^{3+}, in 6H-SiC, 118
Epitaxy of thin films
growth of thin β-SiC layers by carbonization of Si surfaces by rapid thermal processing, 170
MOCVD growth of GaN, 58
structural and electronic characterization of β-SiC films on Si grown from mono-methylsilane precursors, 154
Etching
reactive ion etching characterization of a-SiC:H in CF_4/O_2 plasma, 176

Failure mechanisms
high temperature contacts to chemically vapour deposited diamond films—reliability issues, 206
Field effect
temperature dependence of the thin film silicon-on-insulator field effect transistor current characteristics based on full solution for the one-dimensional MISIS structure, 38
Film deposition
structure of nitrogen-substituted graphite prepared by CVD, 220

Gallium arsenide
a complementary III–V heterostructure field effect transistor technology for high temperature integrated circuits, 54
III–V semiconductor properties for high-temperature electronics, 47
investigations on Pd/In-based high temperature stable obmic contacts on GaAs by X-ray reflectometry and diffractometry, 70
Gallium nitride
development of chemical beam epitaxy for the deposition of gallium nitride, 78
how to induce the epitaxial growth of gallium nitride on Si(001), 74
MOCVD growth of GaN, 58
optical properties and electronic transitions of cubic and hexagonal GaN films between 1.5 and 10 eV, 65
Graphite
structure of nitrogen-substituted graphite prepared by CVD, 220

Heterostructures
a complementary III–V heterostructure field effect transistor technology for high temperature integrated circuits, 54
determination of the GaN/AlN band discontinuities via the $(-/0)$ acceptor level of iron, 61
III–V semiconductor properties for high-temperature electronics, 47
High temperature
a complementary III–V heterostructure field effect transistor technology for high temperature integrated circuits, 54
analysis of SIMOX metal–oxide–semiconductor transistors operated in the high temperature range, 21
high temperature stability of chemically vapour deposited diamond diodes, 223
tungsten metallization technology for high temperature silicon-on-insulator devices, 18
High temperature electronics
III–V semiconductor properties for high-temperature electronics, 47
High-temperature operation
silicon-on-insulator technology for high temperature metal oxide semiconductor devices and circuits, 7
Hot carrier injection
analysis of SIMOX metal–oxide–semiconductor transistors operated in the high temperature range, 21

Indium palladium
investigations on Pd/In-based high temperature stable ohmic contacts on GaAs by X-ray reflectometry and diffractometry, 70
Integrated circuits
silicon-on-insulator technology for high temperature metal oxide semiconductor devices and circuits, 7
Integrated technology
silicon-on-insulator technology for high-temperature, smart-power applications, 1
Ion
formation of β-SiC films by ion beam mixing of Si/C multilayers, 105
Ion implantation
defect production and annealing in ion implanted silicon carbide, 142
electronic transport in thermally crystallized SiC films on sapphire, 147
macrodefect formation in semiconductors during high energy ion implantation: Monte Carlo simulation of damage depth distributions, 202
strain reduction in the Si overlayer for improved SIMOX material, 29
X-ray photoelectron spectroscopy study of Sn^+ implanted a-$Si_{1-x}C_x$:H thin films, 165
IR spectroscopy
carbonization of Si surfaces by solid source molecular beam epitaxy, 138
deposition and optical properties of amorphous hydrogenated Si_xC_y layers, 151
determination of the GaN/AlN band discontinuities via the $(-/0)$ acceptor level of iron, 61

LETI method
growth of bulk SiC, 83
Lely method
growth of bulk SiC, 83
Light emitting diodes
deep centers and electroluminescence in 4H–SiC diodes with p-type base region, 181

Metal–insulator–semiconductor structures
temperature dependence of the thin film silicon-on-insulator field effect transistor current characteristics based on full solution for the one-dimensional MISIS structure, 38
Metal–oxide–semiconductor structures
silicon-on-insulator technology for high-temperature, smart-power applications, 1
Mixing
formation of β-SiC films by ion beam mixing of Si/C multilayers, 105

MOCVD
MOCVD growth of GaN, 58
MOS devices
silicon-on-insulator technology for high temperature metal oxide semiconductor devices and circuits, 7
Molecular beam epitaxy
carbonization of Si surfaces by solid source molecular beam epitaxy, 138
how to induce the epitaxial growth of gallium nitride on Si(001), 74
Monte Carlo simulation of growth and recovery of silicon, 34
observation of Si out-diffusion related defects in SiC growth on Si(001), 110
Monte Carlo models
Monte Carlo simulation of growth and recovery of silicon, 34
Multilayers
formation of β-SiC films by ion beam mixing of Si/C multilayers, 105

Nitrides
determination of the GaN/AlN band discontinuities via the $(-/0)$ acceptor level of iron, 61
development of chemical beam epitaxy for the deposition of gallium nitride, 78
Nitrogen
structure of nitrogen-substituted graphite prepared by CVD, 220

Ohmic contact
investigations on Pd/In-based high temperature stable ohmic contacts on GaAs by X-ray reflectometry and diffractometry, 70
Optical properties
boron doped diamond films: electrical and optical characterization and the effect of compensating nitrogen, 211
deposition and optical properties of amorphous hydrogenated Si_xC_y layers, 151
magnetic circular dichroism and electron spin resonance of the A^- acceptor state of vanadium, V^{3+}, in 6H-SiC, 118
optical properties and electronic transitions of cubic and hexagonal GaN films between 1.5 and 10 eV, 65
structural, optical and electrical properties of state of the art cubic SiC films, 160
Oxide defects
effects of Ar and H_2 annealing on the electrical properties of oxides on 6H SiC, 131

Phase transitions
are polytype transitions possible during boron diffusion?, 99
sputtering effects in hexagonal silicon carbide, 94
Plasma
CVD of diamond from a novel capacitively coupled r.f. plasma source, 216

Rapid thermal annealing
comparison of properties of solid phase epitaxial silicon on sapphire films recrystallized by rapid thermal annealing and furnace annealing, 43
Reliability
high temperature contacts to chemically vapour deposited diamond films—reliability issues, 206
RHEED
growth of thin β-SiC layers by carbonization of Si surfaces by rapid thermal processing, 170
RIE
reactive ion etching characterization of a-SiC:H in CF_4/O_2 plasma, 176

Schottky
high temperature stability of chemically vapour deposited diamond diodes, 223
Schottky barrier
development of chemical beam epitaxy for the deposition of gallium nitride, 78
surface barrier height in metal–n-6H-SiC structures, 198
Semiconductor devices
analysis of SIMOX metal–oxide–semiconductor transistors operated in the high temperature range, 21
boron-rich solids: a chance for high-efficiency high-temperature thermoelectric energy conversion, 228
fabrication and properties of high-resistivity porous silicon carbide for SiC power device passivation, 114
high temperature 6H-SiC dinistor, 194
high temperature silicon carbide stabilitrons for the voltage range from 4 to 50 V, 190
silicon-on-insulator technology for high-temperature, smart-power applications, 1
static and dynamic behaviour of power devices in silicon-direct-bonded substrates, 13
temperature dependence of the thin film silicon-on-insulator field effect transistor current characteristics based on full solution for the one-dimensional MISIS structure, 38
Semiconductor–electrolyte contacts
fabrication and properties of high-resistivity porous silicon carbide for SiC power device passivation, 114
Semiconductor–insulator
a study of the growth and shrinkage of stacking faults in SIMOX, 24
Semiconductors
determination of the GaN/AlN band discontinuities via the $(-/0)$ acceptor level of iron, 61
strain reduction in the Si overlayer for improved SIMOX material, 29
Sensors
III–V semiconductor properties for high-temperature electronics, 47
Shallow level
determination of donor and acceptor level energies by admittance spectroscopy in 6H SiC, 122
Silicon
a study of the growth and shrinkage of stacking faults in SIMOX, 24
how to induce the epitaxial growth of gallium nitride on Si(001), 74
macrodefect formation in semiconductors during high energy ion implantation: Monte Carlo simulation of damage depth distributions, 202
Monte Carlo simulation of growth and recovery of silicon, 34
silicon-on-insulator technology for high-temperature, smart-power applications, 1
Silicon carbide
are polytype transitions possible during boron diffusion?, 99
carbonization of Si surfaces by solid source molecular beam epitaxy, 138
contact resistivity of Re, Pt and Ta films on n-type β-SiC: preliminary results, 185
deep centers and electroluminescence in 4H–SiC diodes with p-type base region, 181
defect production and annealing in ion implanted silicon carbide, 142
deposition and optical properties of amorphous hydrogenated Si_xC_y layers, 151
determination of donor and acceptor level energies by admittance spectroscopy in 6H SiC, 122

effects of Ar and H_2 annealing on the electrical properties of oxides on 6H SiC, 131
electronic transport in thermally crystallized SiC films on sapphire, 147
fabrication and properties of high-resistivity porous silicon carbide for SiC power device passivation, 114
formation of β-SiC films by ion beam mixing of Si/C multilayers, 105
growth of bulk SiC, 83
growth of thin β-SiC layers by carbonization of Si surfaces by rapid thermal processing, 170
high temperature 6H-SiC dinistor, 194
high temperature silicon carbide stabilitrons for the voltage range from 4 to 50 V, 190
how to induce the epitaxial growth of gallium nitride on Si(001), 74
interfacial reactions of W thin film on single-crystal (001) β-SiC, 126
magnetic circular dichroism and electron spin resonance of the A^- acceptor state of vanadium, V^{3+}, in 6H-SiC, 118
observation of Si out-diffusion related defects in SiC growth on Si(001), 110
reactive ion etching characterization of a-SiC:H in CF_4/O_2 plasma, 176
sputtering effects in hexagonal silicon carbide, 94
structural and electronic characterization of β-SiC films on Si grown from mono-methylsilane precursors, 154
structural, optical and electrical properties of state of the art cubic SiC films, 160
study of SiC single-crystal sublimation growth conditions, 90
surface barrier height in metal–n-6H-SiC structures, 198
unintentional incorporation of contaminants during CVD of silicon carbide, 134

Silicon oxide
effects of Ar and H_2 annealing on the electrical properties of oxides on 6H SiC, 131

Silicon-on-insulator
analysis of SIMOX metal–oxide–semiconductor transistors operated in the high temperature range, 21
silicon-on-insulator technology for high temperature metal oxide semiconductor devices and circuits, 7
tungsten metallization technology for high temperature silicon-on-insulator devices, 18

Silicon-on-sapphire
comparison of properties of solid phase epitaxial silicon on sapphire films recrystallized by rapid thermal annealing and furnace annealing, 43

Single-crystal growth
growth of bulk SiC, 83

Solid phase epitaxy
comparison of properties of solid phase epitaxial silicon on sapphire films recrystallized by rapid thermal annealing and furnace annealing, 43

Spectroscopic ellipsometry
optical properties and electronic transitions of cubic and hexagonal GaN films between 1.5 and 10 eV, 65

Sputtering
sputtering effects in hexagonal silicon carbide, 94

Sublimation
study of SiC single-crystal sublimation growth conditions, 90

Surface and interface states
surface barrier height in metal–n-6H–SiC structures, 198

Surface diffusion
diffusion controlled degradation analysis of high temperature $(Bi,Sb)_2(Te,Se)_3$ semiconductor thermoelectric power modules, 233
observation of Si out-diffusion related defects in SiC growth on Si(001), 110

Surface energy
surface barrier height in metal–n-6H-SiC structures, 198

Thermal diffusion
diffusion controlled degradation analysis of high temperature $(Bi,Sb)_2(Te,Se)_3$ semiconductor thermoelectric power modules, 233

Thermal properties
static and dynamic behaviour of power devices in silicon-direct-bonded substrates, 13

Thermoelectric devices
diffusion controlled degradation analysis of high temperature $(Bi,Sb)_2(Te,Se)_3$ semiconductor thermoelectric power modules, 233

Thermoelectric properties
boron-rich solids: a chance for high-efficiency high-temperature thermoelectric energy conversion, 228

Thin films
a study of the growth and shrinkage of stacking faults in SIMOX, 24
CVD of diamond from a novel capactively coupled r.f. plasma source, 216
deposition and optical properties of amorphous hydrogenated Si_xC_y layers, 151
development of chemical beam epitaxy for the deposition of gallium nitride, 78
temperature dependence of the thin film silicon-on-insulator field effect transistor current characteristics based on full solution for the one-dimensional MISIS structure, 38
X-ray photoelectron spectroscopy study of Sn^+ implanted a-$Si_{1-x}C_x$:H thin films, 165

Thin metal films
contact resistivity of Re, Pt and Ta films on n-type β-SiC: preliminary results, 185

Transmission electron microscopy
structural, optical and electrical properties of state of the art cubic SiC films, 160

Tungsten
interfacial reactions of W thin film on single-crystal (001) β-SiC, 126
tungsten metallization technology for high temperature silicon-on-insulator devices, 18

Vanadium
magnetic circular dichroism and electron spin resonance of the A^- acceptor state of vanadium, V^{3+}, in 6H-SiC, 118

X-ray diffraction
investigations on Pd/In-based high temperature stable ohmic contacts on GaAs by X-ray reflectometry and diffractometry, 70
structural and electronic characterization of β-SiC films on Si grown from mono-methylsilane precursors, 154

X-ray spectroscopy
X-ray photoelectron spectroscopy study of Sn^+ implanted a-$Si_{1-x}C_x$:H thin films, 165